according to UK REACH Regulation



Telefax: +49 (0) 8331 930-880

#### **MULTI CLEAN**

Revision date: 03.01.2022 G430 Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**MULTI CLEAN** 

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

EuPCS:PC-CLN-2 All-purpose (or multi-purpose) non-abrasive cleaners, PC-CLN-13.1 Floor cleaning products Process categories [PROC]: 8, 10

# 1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17
Place: D-87700 Memmingen
Telephone: +49 (0) 8331 930-6

e-mail: info@buzil.de
Contact person: info@buzil.de
Internet: www.buzil.com

**1.4. Emergency telephone** +49 (0) 8331 930-6 (08:00 - 16:00 h)

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# **GB CLP Regulation**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals. Causes serious eye damage.

# 2.2. Label elements

# **GB CLP Regulation**

### Hazard components for labelling

sodium hydroxide

Signal word: Danger

Pictograms:



# **Hazard statements**

H290 May be corrosive to metals. H318 Causes serious eye damage.

## **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

# 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to UK REACH Regulation



# **MULTI CLEAN**

Revision date: 03.01.2022 G430 Page 2 of 10

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification		·			
26183-52-8	fatty alcohol polyethoxilate			1 - < 5 %		
	Acute Tox. 4, Eye Dam. 1; H302 H	1318	·			
68439-46-3	fatty alcohol polyethoxylate					
	Eye Dam. 1, Aquatic Chronic 3; H	<u> </u> 318 H412				
1310-73-2	sodium hydroxide					
	215-185-5	011-002-00-6	01-2119457892-27			
	Met. Corr. 1, Skin Corr. 1A; H290 H314					

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. I	Limits, M-factors and ATE			
26183-52-8		fatty alcohol polyethoxilate	1 - < 5 %		
		inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 500 mg/kg Eye Dam. 1; H318: >= 20 - 100			
68439-46-3		fatty alcohol polyethoxylate	1 - < 5 %		
	inhalation: LC5 mg/kg				
1310-73-2	215-185-5	215-185-5 sodium hydroxide			
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2				

### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % phosphates, < 5 % anionic surfactants, perfumes.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### After inhalation

Provide fresh air.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

according to UK REACH Regulation



#### **MULTI CLEAN**

Revision date: 03.01.2022 G430 Page 3 of 10

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet

alcohol resistant foam

Carbon dioxide

Extinguishing powder

### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide

Carbon monoxide

### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General measures**

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Avoid contact with skin, eves and clothes.

Do not mix with other chemicals.

Use personal protection equipment.

When using do not eat, drink or smoke.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

according to UK REACH Regulation



## **MULTI CLEAN**

Revision date: 03.01.2022 G430 Page 4 of 10

When using do not eat, drink or smoke.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

# 7.3. Specific end use(s)

There are no data available on the mixture itself.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

#### 8.2. Exposure controls

### Individual protection measures, such as personal protective equipment

#### Eve/face protection

Wear eye/face protection. (EN 166)

### Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.)

Suitable material: NBR (Nitrile rubber). Thickness of the glove material >= 0,1 mm

A survey of suitable brands with detailed information on breakthrough times is available upon request.

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

### Skin protection

Wear suitable work clothing.

# **Respiratory protection**

Usually no personal respirative protection necessary.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: blue

Odour: Perfumes, fragrances

Test method

Changes in the physical state

Melting point/freezing point: approx. 0 °C
Boiling point or initial boiling point and approx. 100 °C

boiling range:

Flash point: > 60 °C

**Flammability** 

Solid/liquid: not applicable

according to UK REACH Regulation



### **MULTI CLEAN**

Revision date: 03.01.2022 G430 Page 5 of 10

Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Self-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

pH-Value (at 20 °C): 12,5 - 13,5

Viscosity / dynamic: <10 mPa·s (50 1/s)

(at 25 °C)

Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

1,03 g/cm³

not determined

9.2. Other information

Other safety characteristics

Solid content: not determined Evaporation rate: not determined

**Further Information** 

### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Exothermic reaction with: Acid

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid

## 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

#### 10.5. Incompatible materials

Acid

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### **Acute toxicity**

Based on available data, the classification criteria are not met.





## **MULTI CLEAN**

G430 Revision date: 03.01.2022 Page 6 of 10

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
26183-52-8	fatty alcohol polyethoxil	fatty alcohol polyethoxilate						
	oral	LD50 mg/kg	500	Rat	ATE			
	dermal	LD50 mg/kg	>2000	Rat	ATE			
	inhalation aerosol	LC50	>5 mg/l	Rat	ATE			
68439-46-3	fatty alcohol polyethoxylate							
	oral	LD50 mg/kg	>2000	Rat	OECD 401			
	dermal	LD50 mg/kg	>2000	Rat	ATE			
	inhalation aerosol	LC50	>5 mg/l	Rat	ATE			
1310-73-2	sodium hydroxide							
	oral	LD50 mg/kg	>2000	Rat	ATE			
	dermal	LD50 mg/kg	>2000	Rat	ATE			
	inhalation aerosol	LC50	>5 mg/l	Rat	ATE			

### Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

# 12.1. Toxicity





# **MULTI CLEAN**

Revision date: 03.01.2022 G430 Page 7 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
26183-52-8	fatty alcohol polyethoxilate						
	Acute algae toxicity	ErC50 mg/l	19,6	72 h		OECD 201	
	Acute crustacea toxicity	EC50 mg/l	15,0		Daphnia magna (Big water flea)	OECD 202	
68439-46-3	fatty alcohol polyethoxylate						
	Acute fish toxicity	LC50 mg/l	1-10	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute crustacea toxicity	EC50	0,7 mg/l		Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(>1000 r	ng/l)				
1310-73-2	sodium hydroxide						
	Acute fish toxicity	LC50	145 mg/l		Poecilia reticulata (Guppy)		
	Acute crustacea toxicity	EC50	76 mg/l		Daphnia magna (Big water flea)		

### 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
26183-52-8	8 fatty alcohol polyethoxilate					
	OECD 301 >60% 28					
	Readily biodegradable (according to OECD criteria).					
68439-46-3	fatty alcohol polyethoxylate					
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	>60%	28			
	Readily biodegradable (according to OECD criteria).					

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.7. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

### List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

according to UK REACH Regulation



#### **MULTI CLEAN**

Revision date: 03.01.2022 G430 Page 8 of 10

### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LTransport category:3Hazard No:80Tunnel restriction code:E

#### Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1824

**14.2. UN proper shipping name:** SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 L

### Marine transport (IMDG)

14.1. UN number or ID number: UN 1824

**14.2. UN proper shipping name:** SODIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LEmS:F-A, S-B

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 L

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

according to UK REACH Regulation



#### **MULTI CLEAN**

Revision date: 03.01.2022 G430 Page 9 of 10

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

# 14.6. Special precautions for user

No special measures are necessary.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): <30%

### **Additional information**

Regulation (EC) No. 648/2004 (Detergents regulation)

#### **National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,3,9.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

**ELINCS: European List of Notified Chemical Substances** 

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring





Print date: 03.01.2022

### **MULTI CLEAN**

G430 Revision date: 03.01.2022 Page 10 of 10

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

#### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

# **Further Information**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

In devation from REGULATION (EC) No 1272/2008, annex I part 2 and 3, the assessment of skin and eye corrosion and irritation was performed by in-vitro-testing of the product and/or the principles of annex I, part 1.1.0.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)